Transforming Elderly Nutrition Through Fractal Social Organization: A Metaverse-Powered Solution

Jo Van Vaerenbergh

Introduction

The malnutrition crisis among seniors, as described in the Swiss health publication in the Nouvelliste (17/11/2025) ***"Seul devant son assiette: les seniors face à la dénutrition",*** paints a distressing picture: elderly individuals often eat alone, skip meals, and experience physical decline tied to malnutrition.



FOCUS SANTÉ

Seul devant son assiette: les seniors face à la dénutrition

Aînés, gardez l'envie de bien manger!

Summary: The article explains that malnutrition among seniors is a growing public health issue, both at home and in institutions. It appears when energy and protein intake no longer meet the body's needs and can lead to weight and muscle loss, fatigue, weakened immunity, more falls and fractures, hospitalizations and loss of autonomy. It is often linked to acute or chronic illness, social isolation, financial difficulties and chewing or swallowing problems. Loss of appetite, skipped meals and food left on the plate are major warning signs, as are looser clothes, reduced strength, trouble moving and unusual tiredness. Regular weighing is recommended, and an involuntary loss of 5% of body weight in a month or 10% in six months should prompt a medical consultation. To prevent or combat malnutrition, seniors are urged to maintain regular meals, add snacks if their appetite is small, drink enough and prioritize protein\-rich foods such as meat, fish, eggs and dairy. They should also keep the notion of pleasure in eating, varying tastes and textures and enjoying desserts if they wish. Sharing meals with others is highlighted as a way to support both nutritional intake and morale. The article finally presents local initiatives—shared neighborly meals, host tables in residences, meal delivery with time for conversation, intergenerational cooking workshops and cafés for caregivers—that help restore social ties and detect problems earlier.

(Seul devant son assiette: les seniors face à la dénutrition – La Nouvelliste 19/11/2025

The publication correctly identifies social isolation as a critical factor—when seniors eat alone, their intake and health tend to deteriorate. What this analysis does not yet acknowledge is that a scientifically grounded, ready-to-implement solution exists. The Hybrid Metaverse Frailty Clinic (HMFC) initiative, described in the former publication 'From Countdown to Turning Point', provides a comprehensive framework that directly targets the root causes of elderly malnutrition, especially the harmful impact of eating alone.

Transforming "Patients" into Active Participants

The document notes that eating with others supports better eating and morale, yet traditional healthcare systems struggle to operationalize this insight at scale. HMFC

reframes this dynamic by recognizing seniors not as passive recipients of care but as active participants with the capacity to contribute. When a senior signals through the HMFC platform, I would like company for lunch, the system does not dispatch a professional caregiver. Instead, it intelligently matches them with other seniors seeking meal companionship. This approach directly addresses the core problem identified: seniors eating alone. The HMFC does more than acknowledge the issue—it systematically eliminates it by aligning social needs with appropriate companionship.

Early Detection and Intervention

The Swiss publication accurately identifies warning signs of malnutrition, such as loose clothing and the belt needing to be tightened, and meals that are skipped. In traditional systems, these indicators often go unnoticed until a crisis point. HMFC changes this with an automated Comprehensive Geriatric Assessment (CGA) that continuously monitors nutritional status. When patterns of meal skipping, unintended weight loss detected via connected scales or clothing sensor data, or reduced social meal participation emerge, the system triggers not only a professional alert but also activates the fractal social organization to assemble the right response. This might mean matching the individual with a meal companion within 48 hours, organizing a neighborhood shared meal, or connecting with local initiatives for meal delivery that includes social interaction.

The Fractal Response to Malnutrition

The strength of fractal social organization lies in its scalability. The HMFC initiative describes a pattern that applies from the micro level of a village to the macro level of a canton. For malnutrition specifically, this translates into a structured, multi-layered response (Figure *1*):



Figure 1 A scalable fractal social organization

At the micro level, neighbors and the local community play a vital role in offering companionship during meals and engaging in shared cooking activities. Moving to the mezzo level, local meal-sharing networks are instrumental in organizing communal dining events and intergenerational cooking workshops. On a macro level, there is access to professional nutrition support, which encompasses consultations with nutritionists and the creation of therapeutic diet plans.

The fractal approach ensures malnutrition risks are addressed at the most appropriate level, often prioritizing social connection over professional intervention, thereby tackling the root issue of "seul devant son assiette."

The Metaverse Dining Room

A key strength of HMFC is the hybrid convergence of physical and virtual realities. For seniors with mobility issues who cannot easily leave home, the metaverse offers a virtual dining space where meals can be shared. Imagine a virtual restaurant where seniors gather for lunch, cooking classes conducted in the metaverse so participants can prepare similar recipes in their own kitchens, and intergenerational dining experiences where grandchildren join grandparents in virtual settings. This implementation aligns with the French publication's insight that meals are moments of conviviality and social connection, while ensuring accessibility for the most isolated seniors.

Measurable Outcomes: Proof That the Solution Works

Metric	**Current Problem (from Swiss publication)**	**HMFC Solution Impact**
Social meal participation	Seniors eating alone	% of seniors participating in shared meals (virtual or physical)
Malnutrition detection	Late detection of weight loss	Time between initial risk signal and intervention (target: <72 hours)
Professional resource use	High reliance on individual caregivers	% of meal companionship needs met through participant networks rather than professionals
Loneliness indicators	High rates of social isolation	Self-reported loneliness scores (target: 30% reduction in 18 months)

Metric	Current Problem (from Swiss publication)	HMFC Solution Impact
Nutritional outcomes	Unintended weight loss	% of at-risk seniors maintaining stable weight

Table 1 Measurable outcomes

The HMFC approach provides clear, measurable advantages. During the first year of its implementation, various metrics can effectively gauge progress. One key area is social meal participation, where there is a noticeable transition from mainly solitary eating to a greater involvement in shared meals, whether they occur in person or virtually. Another important metric is the detection of malnutrition, which aims to shorten the time between the first signs of risk and intervention to less than 72 hours. Additionally, the use of professional resources can be evaluated by observing an increase in the number of meal companionship needs met through participant networks rather than relying solely on professionals. Loneliness indicators will show improvement, aiming for a reduction of 30% in self-reported feelings of loneliness within 18 months. Lastly, nutritional outcomes will be assessed by a higher percentage of at-risk seniors successfully maintaining a stable weight.

From Aspiration to Implementation: The Solution Is At Hand

The French publication correctly asserts that malnutrition is not an inevitable consequence of aging. What it does not yet recognize is that we have moved beyond awareness to actionable solutions. The HMFC initiative is not a distant aspiration; it is a scientifically grounded framework ready for immediate implementation. Its fractal social organization transforms the heartbreaking image of seniors eating alone into a vibrant network of shared meals, cooking activities, and social connections. It operationalizes the recommendation to eat in company by intelligently matching social needs with appropriate resources and activities.

Crucially, this solution addresses malnutrition at its root cause—social isolation—rather than merely treating symptoms. By leveraging the participant model, the fractal social organization, and the hybrid metaverse environment, we can ensure that no senior faces their plate alone. The technology exists, the scientific foundation is solid, and the implementation pathway is clear. The solution to elderly malnutrition is not distant—it is ready to turn **“Seul devant son assiette” into “Ensemble autour de la table”.**